




























■ ON・OFFヒューズ&可とう管ガス栓(壁取り付けタイプ) 入口I型Rc1/2

代表製品	No	品番	入口形状	サイズ		出口形状	入数		注文番号	定価
				入口	出口		大箱	小箱		
217  UDI-713R()	217	UDI-713R()		Rc1/2	L型ホース口		6	1	217-M 12,100 217-B 12,700 217-H 13,300	
	218	UDI-713CR()		Rc1/2	L型コンセント口		6	1	218-M 12,100 218-B 12,700 218-H 13,300	
	219	UDI-713L()		Rc1/2	L型ホース口		6	1	219-M 12,100 219-B 12,700 219-H 13,300	
	220	UDI-713CL()		Rc1/2	L型コンセント口		6	1	220-M 12,100 220-B 12,700 220-H 13,300	
	221	UDI-713IR()		Rc1/2	I型ホース口		6	1	221-M 12,100 221-B 12,700 221-H 13,300	
	222	UDI-713ICR()		Rc1/2	I型コンセント口		6	1	222-M 12,100 222-B 12,700 222-H 13,300	
	223	UDI-713IL()		Rc1/2	I型ホース口		6	1	223-M 12,100 223-B 12,700 223-H 13,300	
	224	UDI-713ICL()		Rc1/2	I型コンセント口		6	1	224-M 12,100 224-B 12,700 224-H 13,300	





■ ON・OFFヒューズ&可とう管ガス栓(壁取り付けタイプ) 入口I型プッシュインパクト15A

代表製品	No	品番	入口形状	サイズ		出口形状	入数		注文番号	定価
				入口	出口		大箱	小箱		
227  UDI-713L15A()	225	UDI-713R15A()		15A	L型ホース口		6	1	225-M 14,000 225-B 14,600 225-H 15,200	
	226	UDI-713CR15A()		15A	L型コンセント口		6	1	226-M 14,000 226-B 14,600 226-H 15,200	
	227	UDI-713L15A()		15A	L型ホース口		6	1	227-M 14,000 227-B 14,600 227-H 15,200	
	228	UDI-713CL15A()		15A	L型コンセント口		6	1	228-M 14,000 228-B 14,600 228-H 15,200	
	229	UDI-713IR15A()		15A	I型ホース口		6	1	229-M 14,000 229-B 14,600 229-H 15,200	
	230	UDI-713ICR15A()		15A	I型コンセント口		6	1	230-M 14,000 230-B 14,600 230-H 15,200	
	231	UDI-713IL15A()		15A	I型ホース口		6	1	231-M 14,000 231-B 14,600 231-H 15,200	
	232	UDI-713ICL15A()		15A	I型コンセント口		6	1	232-M 14,000 232-B 14,600 232-H 15,200	











■ ON・OFFヒューズ&可とう管ガス栓 (壁取り付けタイプ) 入口L型Rc1/2

代表製品	No	品番	入口形状	サイズ		出口形状	入数		注文番号	定価						
				入口	出口		大箱	小箱								
 UDL-712CL()	233	UDL-712R()		Rc1/2	L型ホース口		6	1	233-M	12,300						
									233-B	12,900						
									233-H	13,500						
		234			UDL-712CR()	Rc1/2	L型コンセント口		6	1	234-M	12,300				
											234-B	12,900				
											234-H	13,500				
		235			UDL-712L()			Rc1/2	L型ホース口		6	1	235-M	12,300		
													235-B	12,900		
													235-H	13,500		
		236			UDL-712CL()					Rc1/2	L型コンセント口		6	1	236-M	12,300
															236-B	12,900
															236-H	13,500
	237	UDL-712IR()	Rc1/2	I型ホース口								6	1	237-M	12,300	
														237-B	12,900	
														237-H	13,500	
	238	UDL-712ICR()			Rc1/2	I型コンセント口						6	1	238-M	12,300	
														238-B	12,900	
														238-H	13,500	
	239	UDL-712IL()					Rc1/2	I型ホース口				6	1	239-M	12,300	
														239-B	12,900	
														239-H	13,500	
	240	UDL-712ICL()							Rc1/2	I型コンセント口		6	1	240-M	12,300	
														240-B	12,900	
														240-H	13,500	











■ ON・OFFヒューズ&可とう管ガス栓 (壁取り付けタイプ) 入口L型プッシュインパクト15A

代表製品	No	品番	入口形状	サイズ		出口形状	入数		注文番号	定価						
				入口	出口		大箱	小箱								
 UDL-712IL15A()	249	UDL-712R15A()		15A	L型ホース口		6	1	249-M	14,200						
									249-B	14,800						
									249-H	15,400						
		250			UDL-712CR15A()	15A	L型コンセント口		6	1	250-M	14,200				
											250-B	14,800				
											250-H	15,400				
		251			UDL-712L15A()			15A	L型ホース口		6	1	251-M	14,200		
													251-B	14,800		
													251-H	15,400		
		252			UDL-712CL15A()					15A	L型コンセント口		6	1	252-M	14,200
															252-B	14,800
															252-H	15,400
	253	UDL-712IR15A()	15A	I型ホース口								6	1	253-M	14,200	
														253-B	14,800	
														253-H	15,400	
	254	UDL-712ICR15A()			15A	I型コンセント口						6	1	254-M	14,200	
														254-B	14,800	
														254-H	15,400	
	255	UDL-712IL15A()					15A	I型ホース口				6	1	255-M	14,200	
														255-B	14,800	
														255-H	15,400	
	256	UDL-712ICL15A()							15A	I型コンセント口		6	1	256-M	14,200	
														256-B	14,800	
														256-H	15,400	

■ ON・OFFヒューズ&可とう管ガス栓 (台取り付けタイプ) 入口F型Rc1/2

代表製品	No	品番	入口形状	サイズ		出口形状	入数		注文番号	定価		
				入口	出口		大箱	小箱				
 UDF-712IR ()	241	UDF-712R ()		Rc1/2	L型ホース口		6	1	241-M	11,100		
									241-B	11,700		
									241-H	12,300		
	242	UDF-712CR ()			L型コンセント口					242-M	11,100	
										242-B	11,700	
										242-H	12,300	
	243	UDF-712L ()			L型ホース口						243-M	11,100
											243-B	11,700
											243-H	12,300
	244	UDF-712CL ()			L型コンセント口							244-M
			244-B	11,700								
			244-H	12,300								
245	UDF-712IR ()	I型ホース口		245-M	11,100							
				245-B	11,700							
				245-H	12,300							
246	UDF-712ICR ()	I型コンセント口			246-M	11,100						
					246-B	11,700						
					246-H	12,300						
247	UDF-712IL ()	I型ホース口				247-M	11,100					
						247-B	11,700					
						247-H	12,300					
248	UDF-712ICL ()	I型コンセント口					248-M	11,100				
			248-B				11,700					
			248-H				12,300					

■ ON・OFFヒューズ&可とう管ガス栓 (台取り付けタイプ) 入口F型プッシュインパクト15A

代表製品	No	品番	入口形状	サイズ		出口形状	入数		注文番号	定価		
				入口	出口		大箱	小箱				
 UDF-712IR15A ()	257	UDF-712R15A ()		15A	L型ホース口		6	1	257-M	13,100		
									257-B	13,700		
									257-H	14,200		
	258	UDF-712CR15A ()			L型コンセント口					258-M	13,100	
										258-B	13,700	
										258-H	14,200	
	259	UDF-712L15A ()			L型ホース口						259-M	13,100
											259-B	13,700
											259-H	14,200
	260	UDF-712CL15A ()			L型コンセント口							260-M
			260-B	13,700								
			260-H	14,200								
261	UDF-712IR15A ()	I型ホース口		261-M	13,100							
				261-B	13,700							
				261-H	14,200							
262	UDF-712ICR15A ()	I型コンセント口			262-M	13,100						
					262-B	13,700						
					262-H	14,200						
263	UDF-712IL15A ()	I型ホース口				263-M	13,100					
						263-B	13,700					
						263-H	14,200					
264	UDF-712ICL15A ()	I型コンセント口					264-M	13,100				
			264-B				13,700					
			264-H				14,200					